



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

## REGION VII 726 MINNESOTA AVENUE KANSAS CITY, KANSAS 66101

## CONFIDENTIAL MEMORANDUM

	DATE: 3/31/92
	SUBJECT: Final EPI-PA Report for:
	NAME: Pries Enterprices CITY, STATE: Independence, Ia
	EPA ID No. TAD 981716806
	FROM: Robert L. Morby, Chief SPFD/WSTM  TO: Michael J. Sanderson, Chief RCRA/WSTM
	TO: U Michael J. Sanderson, Chief RCRA/WSTM
<b>/</b> /00	You have now received the final report from our ARCS contractor, () Jacobs or (\( \) CDM-FPC, for this RCRA Facility.  Now also received attached is a copy of the PA-Methodology Score Sheets, a simplified and conservative version of the HRS which is used by the Superfund program as a screening tool at the PA stage.
	The HRS score using this method is $8.3$ , with the primary scoring pathway(s) being: GW $\times$ SW Air Contact
	The Facility appears to present concern with respect to the following:
	Actual $X$ Potential Contamination of ground water
	Actual Potential Contamination of surface water
	Actual Potential Contamination of water supply
	Actual Potential Exposure of persons to Materials
	Actual Potential Environmental Endangerment
	In accordance with EPA policy and internal agreement(s), it is understood that this RCRA Facility is fully regulated by the RCRA program. This being the case, CERCLA/SARA jurisdiction is precluded, and the Superfund program will take no further action regarding this facility. The EPI-PA will be entered into the CERCLIS data base with a "D" Event Qualifier, indicating that any follow-up will be pursuant to RCRA. If the situation changes at the facility (ie. bankruptcy) such that CERCLA/SARA action would be appropriate, please let me know.



RCRA Records Center